Wivelsfield Calculation Policy 2020



Objective & Strategy	Concrete	Pictorial	Abstract	
Combining two parts to make a whole: part- whole model	Use part part whole model. Use cubes to add two numbers together as a group or in a bar.	Use pictures to add two numbers together as a group or in a bar.	4 + 3 = 7 Use the part-part whole diagram as shown above to move into the abstract.	
Starting at the big- ger number and counting on	Start with the larger number on the bead string and then count on to the smaller number 1 by 1 to find the answer.	12 + 5 = 17 Start at the larger number on the number line and count on in ones or in one jump to find the answer.	5 + 12 = 17 Place the larger number in your head and count on the smaller number to find your answer.	
Regrouping to make 10. This is an essential skill for column addition later.	Start with the bigger number and use the smaller number to make 10. Use ten frames.	Use pictures or a number line. Regroup or partition the smaller number using the part part whole model to make 10.	7 + 4= 11 If I am at seven, how many more do I need to make 10. How many more do I add on now?	
Represent & use number bonds and related subtraction facts within 20	2 more than 5.		Emphasis should be on the language '1 more than 5 is equal to 6.' '2 more than 5 is 7.' '8 is 3 more than 5.'	



Objective & Strategy	Concrete	Pictorial	Abstract
Adding multiples of ten	50= 30 = 20 Model using dienes and bead strings	Sens + 6 sens sens Series + 6 sens	20 + 30 = 50 70 = 50 + 20 40 + = 60
Use known number facts Part part whole	Children explore ways of making numbers within 20	+ = 20	1 + 1 = 16
Using known facts		Children draw representations of H,T and O	2 + 4 = 7 Neads to 30 + 40 = 70 Neads to 300 + 400 = 700
Bar model	000 0000	7+3=10	23 25
	3 + 4 = 7		23 + 25 = 48




Objective &	Concrete	Pictorial	Abstract
Strategy			
Add a two digit number and ones	17 + 5 = 22 Use ten frame to make 'magic ten Children explore the pattern. 17 + 5 = 22 27 + 5 = 32	Use part part whole and number line to model. 17 + 5 = 22 3 2 16 + 7	17 + 5 = 22 Explore related facts 17 + 5 = 22 5 + 17 = 22 22—17 = 5 22—5 = 17
Add a 2 digit num- ber and tens	25 • 10 = 35 Explore that the ones digit does not change	27 + 30 +10 +10 +10 	27 + 10 = 37 27 + 20 = 47 27 + \square = 57
Add two 2-digit numbers	Model using dienes , place value counters and numicon	+20 +6 Or +20 +3 +2 47 67 72 47 67 70 72 Use number line and bridge ten using part whole if necessary.	25 + 47 20 + 5 40 + 7 20 + 40 = 60 5+ 7 = 12 60 + 12 = 72
Add three 1-digit numbers	Combine to make 10 first if possible, or bridge 10 then add third digit	Regroup and draw representation.	4+7+6 = 10+7 = 17 Combine the two numbers that make/ bridge ten then add on the third.



Objective & Strategy	Concrete	Pictorial	Abstract
Column Addition—no regrouping (friendly numbers)	T 0 Model using Dienes or nu- micon	Children move to drawing the counters using a tens and one frame.	2 2 3
Add two or three 2 or 3- digit numbers.	Add together the ones first, then the tens.	tens ones	+ 1 1 4
	O O O O O O O O O O O O O O O O O O O		3 3 7 Add the ones first, then the tens, then the hundreds.
Column Addition with regrouping.	Exchange ten ones for a ten. Model using numicon and pv counters.	Children can draw a representation of the grid to further support their understanding, carrying the ten undermeath the line	20 + 5 40 + 8 60 + 13 = 73 Start by partitioning the numbers before formal column to show the exchange.







Objective & Strategy	Concrete	Pictorial	Abstract
Taking away ones.	Use physical objects, counters, cubes etc to show how objects can be taken away. 6—4 = 2		7—4 = 3
	4-2=2	15 - 3 = 12 Cross out drawn objects to show what has been taken away.	16—9 = 7
Counting back	Move objects away from the group, counting backwards. Move the beads along the bead string as you count backwards.	Count back in ones using a number line.	Put 13 in your head, count back 4. What number are you at?
Find the Difference	Compare objects and amounts 7 'Seven is 3 more than four' 4 I am 2 years elder than my	Count on using a number line to find the difference.	Hannah has 12 sweets and her sister has 5. How many more does Hannah have than her sister.?
	Signature Signat	*6 * 1 2 3 4 5 6 7 8 9 10 11 12	



Objective & Strategy	Concrete	Pictorial	Abstract
Represent and use number bonds and related subtraction facts within 20 Part Part Whole model	Link to addition, Use PPW model to model the inverse. If 10 is the whole and 6 is one of the arts, what s the other part? 10—6 = 4	Use pictorial representations to show the part.	Move to using numbers within the part whole model. 5
Make 10	14—9 Make 14 on the ten frame. Take 4 away to make ten, then take one more away so that you have taken 5.	13—7 13—7 = 6 Jump back 3 first, then another 4. Use ten as the stopping point.	16—8 How many do we take off first to get to 10? How many left to take off?
Bar model	5-2 = 3	2222222 2222222 22222222 2222222222222	8 2 10 = 8 + 2 10 = 2 + 8 10-2 = 8 10-8 = 2



Objective & Strategy	Concrete	Pictorial	Abstract
Regroup a ten into ten ones	Use a PV chart to show how to change a ten into ten ones, use the term 'take and make'	20 – 4 –	20—4 = 16
Partitioning to sub- tract without re- grouping. Triendly numbers'	Use Dienes to show how to partition the number when subtracting without regrouping.	Children draw representations of Dienes and cross off.	43—21 = 22
Make ten strategy Progression should be crossing one ten, crossing more than one ten, crossing the hundreds.	34—28 Use a bead bar or bead strings to model counting to next ten and the rest.	76 80 90 90 90 'counting on' to find 'difference' Use a number line to count on to next ten and then the rest.	93—76 = 17



Objective & Strategy	Concrete	Pictorial	Abstract	
Column subtraction without regrouping (friendly numbers)	47—32 Use base 10 or Numicon to model	Darw representations to support under- standing	$47-24=23$ $-\frac{20+4}{20+3}$ Intermediate step may be needed to lead to clear subtraction understanding.	
Column subtraction with regrouping	Tens Units	45 -29 Tens 10 nes 16 1000	836-254-582 Begin by parti- tioning into pv columns	
	Begin with base 10 or Numicon. Move to pv counters, modelling the exchange of a ten into then ones. Use the phrase 'take and make' for exchange.	Children may draw base ten or PV counters and cross off.	7 28 - 582 - 144 Then move to formal method. 5 9 2 1 4 6	



Objective &		Cond	rete	Pictorial	Abstract
Strategy		224	470	Children to draw pv counters and show their	
Subtracting tens and ones		234 -	1/9	exchange—see Y3	281511
Year 4 subtract with		0			2 × 5 4
up to 4 digits.	00	000	••••		-1562
Introduce decimal subtrac- tion through context of money	0	00 0000 U			1192
			range using Numi- n move to PV coun-		Use the phrase 'take and make' for ex- change
Year 5- Subtract	As Year 4			Children to draw pv counters and show their	'3'X'0'8'6
with at least 4 dig-				exchange—see Y3	- 2128
its, including money					28,928
and measures.					1 -1 -1 -1 -1 -1 -1
Subtract with decimal values, including mixtures of integers and decimals and aligning the decimal					Use zeros for place-holders. 77/69 0 0 796 5
Year 6—Subtract					xxx,699
with increasingly					- 89,949
large and more complex numbers					60,750
and decimal values.					
end decimal values.					1/10/5 · 1/4/1 9 kg - 36 · 080 kg 69 · 339 kg



Objective & Strategy	Concrete	Pictorial	Abstract Partition a number and then double each part before recombining it back together. 16 10 6 12 20 + 12 = 32	
Doubling	Use practical activities using manipultives including cubes and Numicon to demonstrate doubling	Double 4 is 8		
Counting in multi- ples	Count the groups as children are skip counting, children may use their fingers as they are skip counting.	Children make representations to show counting in multiples.	Count in multiples of a number aloud. Write sequences with multiples of numbers. 2, 4, 6, 8, 10 5, 10, 15, 20, 25, 30	
Making equal groups and counting the total	□ x □ = 8 Use manipulatives to create equal groups.	Draw to show 2 x 3 = 6 Draw and make representations	2 x 4 = 8	

Wivelsfield Calculation Policy 2020



Objective & Strategy	Concrete	Pictorial	Abstract
Repeated addition	Use different objects to add equal groups	Use pictorial including number lines to solve prob. There are 3 sweets in one bag. How many sweets are in 5 bags altogether? 3+3+3+3+3 15	Write addition sentences to describe objects and pictures.
Understanding ar- rays	Use objects laid out in arrays to find the answers to 2 lots 5, 3 lots of 2 etc.	Draw representations of arrays to show under- standing	3 x 2 = 6 2 x 5 = 10



Objective & Strategy	Concrete	Pictorial	Abstract
Doubling	Model doubling using dienes and PV counters.	Draw pictures and representations to show how to double numbers	Partition a number and then double each part before recombining it back together. 16 10 6 12 20 + 12 = 32
Counting in multi- ples of 2, 3, 4, 5, 10 from 0 (repeated addition)	Count the groups as children are skip counting, children may use their fingers as they are skip counting. Use bar models. 5 + 5 + 5 + 5 + 5 + 5 + 5 + 5 = 40	Number lines, counting sticks and bar models should be used to show representation of counting in multiples. 3 3 3 3 3	Count in multiples of a number aloud. Write sequences with multiples of numbers. 0, 2, 4, 6, 8, 10 0, 3, 6, 9, 12, 15 0, 5, 10, 15, 20, 25, 30



Objective & Strategy	Concrete	Pictorial	Abstract
Multiplication is commutative	Create arrays using counters and cubes and Numicon. Pupils should understand that an array can represent different equations and that, as multiplication is commutative, the order of the multiplication does not affect the answer.	Use representations of arrays to show different calculations and explore commutativity.	12 = 3 × 4 12 = 4 × 3 Use an array to write multiplication sentences and reinforce repeated addition. 5 + 5 + 5 = 15 3 + 3 + 3 + 3 + 3 = 15 5 × 3 = 15 3 × 5 = 15
Using the Inverse This should be taught alongside division, so pupils learn how they work alongside each other.		8 x =	2 x 4 = 8 4 x 2 = 8 8 ÷ 2 = 4 8 ÷ 4 = 2 8 = 2 x 4 8 = 4 x 2 2 = 8 ÷ 4 4 = 8 ÷ 2 Show all 8 related fact family sentences.



Objective & Strategy	Concrete	Pictorial	Abstract		
Grid method	Show the links with arrays to first intro- duce the erid method	Children can represent their work with place value counters in a way that they understand. They can draw the counters using colours to	Start with multiplying by one digit num- bers and showing the clear addition alongside the grid.		
	4 rows	show different amounts or just use the circles in the different columns to show their thinking as	× 30 5		
	Move onto base ten to move towards a	shown below.	7 210 35		
	Move on to place value counters to show how we are finding groups of a number. We are multiplying by 4 so we need 4 rows Fill each row with 126 Add up each column, starting with the ones making any exchanges needed Then you have your answer.	Bar model are used to explore missing numbers $4 \times $	Moving forward, multiply by a 2 digit number showing the different rows within the grid method. 10 8 10 80 3 30 24		



Objective & Strategy	Concrete	Pictorial	Abstract	
Grid method recap from year 3 for 2 digits x 1 digit	Use place value counters to show how we are finding groups of a number. We are multiplying by 4 so we need 4 rows	Children can represent their work with place value counters in a way that they understand. They can draw the counters using colours to show different amounts or just use the circles in	Start with multiplying by one digit num- bers and showing the clear addition alongside the grid.	
	© 000 000 4 x 125	the different columns to show their thinking as shown below.	× 30 5	
Move to multiplying 3 digit numbers by	8 88888 8	24 × 3 = 72	7 210 35	
1 digit. (year 4 ex-	Fill each row with 126	X 20 4	210 + 35 = 245	
pectation)		3 00 0000		
	Add up each colu	60 12		
Column multiplication	Children can continue to be supported by		327	
	place value counters at the stage of multipli- cation. This initially done where there is no regrouping. 321 x 2 = 642	× 300 20 7 4 1200 80 28	_ x 4	
	Hatifeds Ters Ones	The grid method my be used to show how this	28	
	## It is im-	relates to a formal written method.	80	
	portant at this stage	DELEGISCHER STRIKE	1200	
	that they	E = 54 - 2 - 40 - 2	1308	
	always multiply	8 - 40 - 65 6 - 40 - 65 400 - 4 (672)	This may lead	
	the ones	Bar modelling and number lines can support	327 to a compact	
	3603.5	learners when solving problems with multiplica-	× 4 method.	
	The corresponding long multiplication is mod- elled alongside	tion alongside the formal written methods.	1308	



Objective & Strategy	Concrete	Pictorial	Abstract
Column Multiplication for 3 and 4 digits x 1 digit.	Hundreds Tens Ones It is important at this stage that they always multiply the ones first. Children can continue to be supported by place value counters at the stage of multiplication. This initially done where there is no regrouping. 321 x 2 = 642	x 300 20 7 4 1200 80 28	327 x 4 28 80 1200 1308 This will lead to a compact method.
Column multiplication	Manipulatives may still be used with the cor- responding long multiplication modelled alongside.	Continue to use bar modelling to support problem solving	1 8 18 x 3 on the first row (8 x 3 = 24, carrying the 2 for 20, then 1 x 3) 18 x 10 on the 2nd row. Show multiplying by 10 by putting 1 2 3 4 putting 1 2 3 4 O (1234 x 6) 1 9 7 4 4



Objective & Con-	crete	Pictorial	Abstract	
Strategy				
Multiplying decimals			Remind children that the single digit belongs	
ıp to 2 decimal plac-			in the units column. Line up the decimal	
es by a single digit.			points in the question and the answer.	
			3 · 1 9	
			× 8 2 5 · 5 2	
			25.52	
			1 7	



Objective & Strategy	Concrete	Pictorial	Abstract
Division as sharing Use Gordon ITPs for modelling		Children use pictures or shapes to share quantities. Sharing: Sharing:	12 shared between 3 is 4
10	10	12 shared between 3 is 4	
	ve 10 cubes, can you share them equally in oups?		

Objective & Strategy	Concrete	Pictorial	Abstract
Division as sharing	I have 10 cubes, can you share them equally in 2 groups?	Children use pictures or shapes to share quantities. 8 + 2 = 4 Children use bar modelling to show and support understanding.	12 ÷ 3 = 4
Division as grouping	Divide quantities into equal groups. Use cubes, counters, objects or place value counters to aid understanding.	Think of the use as a winner. Spent it must the number of groups you are dividing by and work out how many would be within each group.	28 ÷ 7 = 4 Divide 28 into 7 groups. How many are in each group?



Objective &	Concrete	Pictorial	Abstract
Strategy			
Division as grouping	Use cubes, counters, objects or place value counters to aid understanding. 24 divided into groups of 6 = 4	Continue to use bar modelling to aid solving division problems. 20 20 ÷ 5 = ? 5 x ? = 20	How many groups of 6 in 24? 24 ÷ 6 = 4
	96 + 3 = 32		
Division with arrays	Link division to multiplication by creating an array and thinking about the number sentences that can be created. Eg $15 \div 3 = 5$ $5 \times 3 = 15$ $15 \div 5 = 3$ $3 \times 5 = 15$	Draw an array and use lines to split the array into groups to make multiplication and division sentences	Find the inverse of multiplication and division sentences by creating eight linking number sentences. 7 x 4 = 28 4 x 7 = 28 28 + 7 = 4 28 + 4 = 7 28 = 7 x 4 28 = 4 x 7 4 = 28 + 7 7 = 28 + 4



Objective & Strategy	Concrete	Pictorial	Abstract
Division with remainders.	Divide objects between groups and see how much is left over	Jump forward in equal jumps on a number line then see how many more you need to jump to find a remainder. Draw dots and group them to divide an amount and clearly show a remainder. Use bar models to show division with remainders. 37 10 10 10 2	Complete written divisions and show the remainder using r. 29 + 8 = 3 REMAINDER 5 ↑ ↑ ↑ dividend divisor questions remainder
	Example without 40 + 5 Ask 'How many Example with model and the following of the following states and the following states are seen as the following states are seen	5s in 40? 0 5 10 15 20 25 30 35 40 emainder	n a remainder of 2 nultiples, bigger




Objective & Strategy	Concrete	Pictorial	Abstract
Divide at least 3 digit numbers by 1 digit. Short Division	3 2 Use place value counters to divide using the bus stop method alongside Start with the biggest place value, we are sharing 40 into three groups. We can put 1 ten in each group and we have 1 ten left over.	Students can continue to use drawn diagrams with dots or circles to help them divide numbers into equal groups. Encourage them to move towards counting in multiples to divide more efficiently.	Begin with divisions that divide equally with no remainder. 2 1 8 3 4 8 7 2 Move onto divisions with a remainder. 8 6

Long Division

Step 1-a remainder in the ones

- 4 does not go into 1 (hundred). So combine the 1 hundred with the 6 tens (160).
- 4 goes into 16 four times.
- 4 goes into 5 once, leaving a remainder of 1.

- 8 does not go into 3 of the thousands. So combine the 3 thousands with the 2 hundreds (3,200).
- 8 goes into 32 four times (3,200 + 8 = 400)
- 8 goes into 0 zero times (tens).
- 8 goes into 7 zero times, and leaves a remainder of 7.



When dividing the ones, 4 goes into 7 one time. Multiply $1 \times 4 = 4$, write that four under the 7, and subract. This finds us the remainder of 3.

Check: 4 × 61 + 3 = 247

When dividing the ones, 4 goes into 9 two times. Multiply $2 \times 4 = 8$, write that eight under the 9, and subract. This finds us the remainder of 1.

Check: 4 × 402 + 1 = 1,609



Long Division

Step 2—a remainder in the tens

1. Divide.	2. Multiply & subtract.	3. Drop down the next digit.
2 2) <u>5</u> 8	2 2)58 -4 1	2 9 2) 5 8 - 4 1 8
Two goes into 5 two times, or 5 tens + 2 = 2 whole tens but there is a remainder!	To find it, multiply 2 × 2 = 4, write that 4 under the five, and subtract to find the remainder of 1 ten.	Next, drop down the 8 of the ones next to the leftover 1 ten. You combine the remainder ten with 8 ones, and get 18.

1. Divide.	2. Multiply & subtract.	3. Drop down the next digit.
1 0	t o	t o
2 9 2) 5 8	29 2 5 8	2) 5 8
- 4 1 8	- 4 1 8	-4 18
	<u>- 1 8</u>	-18
Divide 2 into 18. Place 9 into the	Madillata 0 - 2 - 40	The division is some since the con-
quotient.	Multiply 9 × 2 = 18, write that 18 under the 18, and subtract.	The division is over since there are no more digits in the dividend. The quotient is 29.



Long Division

Step 2—a remainder in any of the place values

1. Divide.	2. Multiply & subtract.	3. Drop down the next digit.
2)278	2) 2 7 8 = 2 0	2 1 8 2 1 8 -2 1 0 7
Two goes into 2 one time, or 2 hundreds + 2 = 1 hundred.	Multiply 1 × 2 = 2, write that 2 under the two, and subtract to find the remainder of zero.	Next, drop down the 7 of the tens next to the zero.
Divide.	Multiply & subtract.	Drop down the next digit.
1 3 2) 2 7 8 -2 0 7	13 2)278 -2 07 -6 1	2)278 -207 -6
Divide 2 into 7. Place 3 into the quotient.	Multiply 3 × 2 = 6, write that 6 under the 7, and subtract to find the remainder of 1 ten.	Next, drop down the 8 of the ones next to the 1 leftover ten.
1. Divide.	2. Multiply & subtract.	3. Drop down the next digit.
13 <mark>9</mark> 2)278 -2 07 -6 18	139 2)278 -2 07 -6 18 -18	139 2)278 -2 07 -6 18 -18
Divide 2 into 18. Place 9 into the quotient.	Multiply 9 × 2 = 18, write that 18 under the 18, and subtract to find the remainder of zero.	There are no more digits to drop down. The quotient is 139.